

Roses For Mom



Materials Needed

Fabric for hooping designs--about 1-1 ½ yards.
Tear a way stabilizer.
1 yd. of backing fabric to fit your quilt.

Contrasting fabric for sashing--about 1 fat quarter and cut:
3 panels--3 ½ x 8 in.,
2 panels--18 ½ by 3 ½ in.

Designs from EMS Designs:
Set# EMS094-Roses For Mom—www.oregonpatchworks.com
Use #80 embroidery or metallic needle.
Embellishing items such as ribbon or whatever you want
to embellish your item.

To Start:

With your 4x4 hoop, hoop your fabric using two layers of stabilizer.
Embroider the 6 Rose designs you want to use.
I starch my fabric first, before hoping, giving my fabric
a nice crisp feel so it won't pucker as much. These designs are stitch intensive
so they need that extra body.

After you finish embroidering take off hoop and square each design to 8x8 inches.
Sew your first squared design to one 3½ x 8 panel with right sides together.
Then sew another design to other side of panel with right sides together.
Continue as such until you have 6 squared sets sewn to 3 panels.

***On the first picture the panel actually goes onto the other side of the design as shown in
second picture.**



Sew your $18 \frac{1}{2} \times 3 \frac{1}{2}$ panels to the bottom of first set with right sides together.




Press seams and continue to add your other $18 \frac{1}{2} \times 3 \frac{1}{2}$ in. panel to the bottom of previous set and after pressing you will end up with lower picture:
Measuring about $19 \times 28 \frac{1}{2}$ inches.




To Finish:

Cut your backing fabric the same size and pin it to your quilt, right sides together.



Sew all around your quilt leaving a space open on one of the sides as such:



Cut your corners and pull inside out at stitch opening and Press seams. You may want to slip-stitch your opening.



There you have your quilt turned inside out and ready!



If you want you can add ruffles or other kinds of embellishments.



Be Creative!!
Thank you
Edna Smith
EMS Designs

Please do not copy or share or sell this tutorial.