




440CRB_01

S 41 284
C 15
H 299.41 mm
W 199.00 mm
Date 26/10/2025
V 2020
Ext EMB



440CRB_01-6x10


S 34 812
C 15
H 258.03 mm
W 158.42 mm
Date 26/10/2025
V 2020
Ext EMB



440CRB_02

S 18 384
C 9
H 299.83 mm
W 199.00 mm
Date 26/10/2025
V 2020
Ext EMB





440CRB_02-6x10

S 16 072
C 9
H 258.00 mm
W 158.42 mm
Date 26/10/2025
V 2020
Ext EMB



440CRB_03

S 41 375
C 15
H 299.41 mm
W 199.00 mm
Date 26/10/2025
V 2020
Ext EMB



440CRB_03-6x10

S 34 723
C 15
H 258.03 mm
W 158.42 mm
Date 26/10/2025
V 2020
Ext EMB






440CRB_Temp-1C1

S 370
C 1
H 297.87 mm
W 184.27 mm
Date 26/10/2025
V 2020
Ext EMB



440CRB_Temp1C1s


S 318
C 1
H 257.98 mm
W 154.80 mm
Date 26/10/2025
V 2020
Ext EMB



440CRB_Temp-1C2


S 283
C 1
H 181.03 mm
W 181.99 mm
Date 26/10/2025
V 2020
Ext EMB






440CRB_Temp1C2s

S 255
C 1
H 159.03 mm
W 159.00 mm
Date 26/10/2025
V 2020
Ext EMB



440CRB_Temp-2C1


S 338
C 1
H 299.00 mm
W 165.03 mm
Date 26/10/2025
V 2020
Ext EMB



440CRB_Temp2C1s

S 306
C 1
H 257.83 mm
W 150.73 mm
Date 26/10/2025
V 2020
Ext EMB






440CRB_Temp-2C2

S 272
C 1
H 176.07 mm
W 175.89 mm
Date 26/10/2025
V 2020

Ext EMB



440CRB_Temp2C2s

S 522
C 2
H 258.00 mm
W 158.42 mm
Date 26/10/2025
V 2020

Ext EMB

