



460ROD_01- 22x57

S 1,421
C 7
H 56.79 mm
W 21.61 mm
Date 6/ 5/2026
V 2020
Ext EMB



460ROD_01x2

S 2,956
C 9
H 123.78 mm
W 24.19 mm
Date 6/ 5/2026
V 2020
Ext EMB



460ROD_01x4

S 5,935
C 9
H 231.91 mm
W 24.23 mm
Date 6/ 5/2026
V 2020
Ext EMB





460ROD_02- 26x71

S 1,890
C 7
H 70.98 mm
W 25.59 mm
Date 6/ 5/2026
V 2020
Ext EMB



460ROD_02x2

S 3,889
C 8
H 143.84 mm
W 28.83 mm
Date 6/ 5/2026
V 2020
Ext EMB



460ROD_02x4

S 7,824
C 8
H 282.82 mm
W 28.87 mm
Date 6/ 5/2026
V 2020
Ext EMB





460ROD_03-32x89

S 2,441
C 7
H 88.73 mm
W 31.88 mm
Date 6/ 5/2026
V 2020
Ext EMB



460ROD_03x2

S 5,013
C 9
H 179.68 mm
W 35.02 mm
Date 6/ 5/2026
V 2020
Ext EMB



460ROD_03x4

S 10,095
C 9
H 35.03 mm
W 353.70 mm
Date 6/ 5/2026
V 2020
Ext EMB

